

Техническое описание продукта DULUX S 9 W/830

OSRAM DULUX S | Укороченные компактные люминесцентные лампы, с 2-штырьковым цоколем для ПРА



Техническое описание продукта

Technical data

Электрические параметры

ZLDV_Nominal current [AGGR]	0.17 A
-----------------------------	--------

Фотометрические данные

ZLDV_Light color (designation) [AGGR]	LUMILUX Warm White
ZLDV_Rated LLMF at 2,000 h [AGGR]	0.85
ZLDV_Rated LLMF at 4,000 h [AGGR]	0.78
ZLDV_Rated LLMF at 6,000 h [AGGR]	0.76
ZLDV_Rated LLMF at 8,000 h [AGGR]	0.75
ZLDV_Luminous flux [AGGR]	600 lm
Индекс цветопередачи Ra	≥80

Размеры и вес



ZLDV_Overall length [AGGR]	166.50 mm
ZLDV_Length with base excl. base pins/connection [AGGR]	144,00 mm
ZLDV_Product weight [AGGR]	24.1 g

Температуры и условия управления

ZLDV_Ambient temperature range [AGGR]	-5...+40 °C
---------------------------------------	-------------

Срок службы

ZLDV_Service life [AGGR]	6500 h
Номинальный срок службы	10000 h

Дополнительные данные

ZLDV_Mercury content [AGGR]	1.6 mg
-----------------------------	--------

Техническое описание продукта

Утилизация по WEEE	Да
--------------------	----

Сертификаты и Стандарты

ZLDV_Energy efficiency class [AGGR]	G
ZLDV_Energy consumption [AGGR]	10.00 kWh/1000h


Классификация

ZLDV_ILCOS [AGGR]	FSD-9/830-I-G23
-------------------	-----------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4050300025742
Declaration No. in SCIP database	In work

Распределение силы света




FL_830


Оборудование/аксессуары

– Подходит для использования с обычными ПРА


Техническое описание продукта



SERIES CONNECTION WITH CONTROL GEAR



SINGLE LAMP WITH PLUG-IN CONTROL GEAR



SINGLE LAMP WITH CONTROL GEAR

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4050300025742	DULUX S 9 W/830	Shipping carton box 10 шт. Folding carton box	114 mm x 173 mm x 112 mm	2.21 дм ³	418.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Техническое описание продукта

Примечание

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany